



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/072,691	02/07/2002	Lucio Giambattista	P-5023	3218

27305 7590 10/17/2003

HOWARD & HOWARD ATTORNEYS, P.C.  
THE PINEHURST OFFICE CENTER, SUITE #101  
39400 WOODWARD AVENUE  
BLOOMFIELD HILLS, MI 48304-5151

EXAMINER

GHAFOORIAN, ROZ

ART UNIT	PAPER NUMBER
----------	--------------

3763

DATE MAILED: 10/17/2003

13

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/072,691

Applicant(s)

GIAMBATTISTA ET AL.

Examiner

Roz Ghafoorian

Art Unit

3763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 22 July 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1 and 4-23 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1, 4-21, 14-23 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

**DETAILED ACTION**

***Claim Rejections - 35 USC § 102***

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

1. Claims 1, 4-21, 14-23 are rejected under 35 U.S.C. 102(b) as being anticipated by US Patent No.5201708 to Martin.

Martin teaches safety shield system for a needle cannula comprising a general tubular clip member 200 having a plurality of spaced laterally profiting fingers 52, a generally tubular reciprocal shield including a first portion surrounding the said clip member , a second portion normally surrounding the needle cannula 92 and a plurality of spaced axially extending inwardly opening channel shaped tracks on the inside surface of the shield receiving said laterally projecting resilient fingers of the clip member and guiding said shield axially from a first position wherein said shield second portion surrounds said needle cannula 92 to a second position wherein said needle cannula 92 is exposed, and a spring 50 resiliently biasing said shield axially to normally extend said shield second portion to surround said needle cannula, wherein at least one of said channel shaped tracks includes an opening which receives one of the fingers when said shield is first retracted to said second position and then extended to the first position by the spring and locking the shield in the first position.(figure 3)

***Response to Arguments***

2. Applicant's arguments filed 7-22-2003 have been fully considered but they are not persuasive. Applicant alleges the newly amended claim limitation of needle cannula having resilient with a free end portion that permits one time movement of a shield form

Art Unit: 3763

a first portion to a second position and from second position back to the first is not suggest or disclosed in the prior art. This argument is not persuasive for the following reasons:

a. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., the needle cannula's figures moving from second position back to the first position) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

b. Even if applicant has claimed the above limitation the prior art is capable of performing the limitation mentioned in the independent claims as demonstrated by 1, 4 and 7.

### ***Conclusion***

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Roz Ghafoorian whose telephone number is 703-305-2336. The examiner can normally be reached on 8:30am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler can be reached on 703-308-3552. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.


Application/Control Number: 10/072,691

Page 4

Art Unit: 3763

RG

October 2, 2003

  
BRIAN L. CASLER  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3700